Contents

Preface vii

Conference Organisation viii

Chapter 1. Electrons and spins in strongly correlated systems

Band structure calculations for f-electron systems
M.S.S. Brooks 1

Simple calculation of hybridization effects in UTX and U_2T_2X compounds
K. Prokeš, E. Brück, H. Nakotte, P.F. de Châtel and F.R. de Boer 8

Heavy fermion behaviour of a 3d electron system: YMn_2
C. Lacroix and C. Pinettes 11

Disappearance of spin fluctuations in YMn_2 under very high pressure
K. Drescher and M.M. Abd-Elmeguid 14

Strongly enhanced spin fluctuations in paramagnetic $Y_{0.90}Lu_{0.10}Mn_2$
R. Hauser, E. Bauer, E. Gratz, Th. Holubar, A. Indinger, A. Lindbaum, W. Perthold, I.S. Dubenko and A.S. Markosyan 17

Critical behaviour of $ZrZn_2$
F.M. Grosche, C. Pfleiderer, G.J. McMullan, G.G. Lonzarich and N.R. Bernhoeft 20

Fermi surfaces of YRu_2Si_2 and $LaRu_2Si_2$
R. Settai, H. Ikezawa, H. Toshima, M. Takashita, T. Ebihara, H. Sugawara, T. Kimura, K. Motoki and Y. Ōnuki 23

De Haas–van Alphen effect study of $CeRu_2Si_2$
H. Aoki, M. Takashita, S. Uji, T. Terashima, K. Maezawa, R. Settai and Y. Ōnuki 26

The nature of elementary excitations below and above the metamagnetic transition in $CeRu_2Si_2$
F.S. Tautz, S.R. Julian, G.J. McMullan and G.G. Lonzarich 29

Fermi surface of the heavy-fermion superconductor UPd_2Al_3
Y. Inada, A. Ishiguro, J. Kimura, N. Sato, A. Sawada, T. Komatsubara and H. Yamagami 33

Band theoretical study of the Fermi surface of CeB_6
M.B. Suvasini, G.Y. Guo, W.M. Temmerman and G.A. Gehring 37

Positron annihilation study of the electronic structure of CeB_6, $CeCu_6$ and $LaCu_6$
M. Biasini, H. Harima, Y. Onuki, H.M. Fretwell, S.B. Dugdale, M.A. Alam and R.N. West 40

Tunneling spectroscopy on correlated electron systems
J. Aarts and A.P. Volodin 43

Correlated electron systems studied by μSR technique
A. Amato 49

NMR study of strongly correlated electron systems
Y. Kitaoka, H. Tou, G.-q. Zheng, K. Ishida, K. Asayama, T.C. Kobayashi, A. Kohda, N. Takeshita, K. Amaya, Y. Onuki, G. Geibel, C. Schank and F. Steglich 55

^{63}Cu NMR in the unconventional Kondo alloy $UCu_{3.5}Pd_{1.5}$
O.O. Bernal, D.E. MacLaughlin, H.G. Lukefahr and B. Andraka 62

Probing correlated electron systems by photoemission techniques
J.W. Allen 65

Resonant inverse photoemission of Ce valence fluctuators
M. Grioni, P. Weibel, D. Malterre, F. Jeanneret, Y. Baer and G. Olcese 71

Configuration dependent hybridization strength revealed by analysis of resonant inverse photoemission in $CeNi_2$
A. Tanaka and T. Jo 74

Critical analysis of a band picture description of $CeRh_3$ spectral function in inverse photoemission
L. Braicovich, L. Duó, P. Vavassori, D. Malterre, M. Grioni, Y. Baer and G.L. Olcese 77

Valence band resonant photoemission spectroscopy on Ce compounds at Ce 3d–4f and 4d–4f thresholds: surface vs. bulk electronic structure
G. Chiaia, L. Braicovich, L. Duó, P. Vavassori, G.L. Olcese, M. Qvarford and I. Lindau 80

4f bands in Ce heavy fermions and mixed valent compounds at $T \gg T_K$
A.B. Andrews, J.J. Joyce, A.J. Arko, J.D. Thompson, Z. Fisk, J. Tang, J.M. Lawrence, P.S. Riseborough and P.C. Canfield 83

Photocurrents in two-band models with strong correlations
K. Matho 86

Local-spin-selective X-ray absorption: a new technique to study correlated materials
F.M.F. de Groot, K. Hämäläinen and A. Fontaine 89

Optical and magneto-optical properties of the cerium monochalcogenides
R. Pittini, J. Schoenes and P. Wachter 92

Some applications of the multichannel Kondo problem
P. Schlottmann and P.D. Sacramento 95

Non-Fermi-liquid behavior in heavy-fermion systems
H. v. Löhneysen 101

Non-Fermi liquid scaling in UPd_xCu_{5-x} ($x = 1, 1.5$)
M.C. Aronson, R. Osborn, R.A. Robinson, J.W. Lynn, R. Chau, C.L. Seaman and M.B. Maple 108

Neutron scattering studies of $U_xY_{1-x}Pd_3$ compounds
K.A. McEwen, M.J. Bull, R.S. Eccleston, D. Hinks and A.R. Bradshaw 112

Non-Néel ordering in the presence of strong anisotropy
L.P. Gor'kov and V. Barzykin 116

A quantum spin model with two coupled subsystems: exact solution for the linear chain and the Lieb–Mattis model
J. Richter, S. Krüger, A. Voigt and C. Gros 119

Exactly solvable quantum magnets and spin glasses
Th.M. Nieuwenhuizen 122

Chapter 2. Metallic systems, mainly heavy fermions

2.1. Theory

Different routes to heavy fermion behaviour
P. Fulde and G. Zwicknagl 125

On the spin origin of heavy fermions in rare earth intermetallides
K.A. Kikoin, M.N. Kiselev and A.S. Mishchenko 129

Small moments in heavy fermions: a model Hamiltonian
A.E. Sikkema, W.J.L. Buyers, J. Gan and I. Affleck 132

Numerical renormalization group study for a $5f^2$ singlet system
Y. Shimizu, O. Sakai and Y. Kuramoto 135

Moment reduction in Kondo systems with crystal field effects: molecular field theory
L.C. Andreani, E. Liviotti, P. Santini and G. Amoretti 138

Excitation spectrum of the impurity Anderson model with finite orbital degeneracy at finite temperatures
O. Sakai, S. Suzuki and Y. Shimizu 141

Magnetic form factor in Kondo systems: Kondo moment reduction versus conduction electron polarization
E. Pavarini, L.C. Andreani and G. Amoretti 144

Excitation spectra in periodic Anderson and Kondo lattices
S. Maekawa, K. Tsutsui, Y. Ohta, E. Dagotto and J. Riera 147

Numerical renormalization group study of the one-dimensional Anderson lattice
M. Guerrero and C.C. Yu 151

Dynamical properties of the Kondo lattice
Th. Pruschke, B. Steininger and J. Keller 154

Monte Carlo study of superfluid–insulator transitions in Boson Hubbard models
N. Hatano 157

Spectral properties of the Hubbard model
T. Momoi 160

Classical effective Hamiltonians, Wigner functions and the sign problem
J.H. Samson 163

Large U Hubbard model at small doping
D. Foerster and N. Schopohl 166

Comparison of various approaches to the Anderson lattice
H. Keiter, T. Leuders, Ch. Melsheimer and P. Schönenberg 168

On perturbation theory around the atomic limit of strongly correlated electron systems: a new approach based on Wick's theorem
J. Brinckmann 171

Single-particle excitation spectrum of infinite-dimensional Hubbard model under finite magnetic field
T. Saso and A. Oguri 174

Beyond the NCA: new results for the spectral properties of the Anderson model
F.B. Anders 177

Quantum effective field theory of strongly correlated electron systems
M. Suzuki 180

Multichannel Kondo impurities in superconductors
L.S. Borkowski and P.J. Hirschfeld 183

Renormalized electronic structures of $CeSi_2$, $CeRu_2$ and $CeAl_2$
J. Costa-Quintana, E. González-León, F. López-Aguilar, L. Puig-Puig and M.M. Sánchez-López 186

Elementary excitations for the overscreened multichannel Kondo model
S. Suga, A. Okiji and K. Kawakami 190

2.2. Cerium compounds

Thermal and elastic properties of superconducting $CeRu_2$
H. Goshima, T. Suzuki, T. Fujita, M. Hedo, T. Nakama and K. Yagasaki 193

Single crystal growth and superconducting properties of $CeRu_2$
H. Sugawara, T. Yamazaki, N. Kimura, R. Settai and Y. Ōnuki 196

Effect of pressure on the electrical resistivity of CePtGa
Y. Uwatoko, T. Ishii, G. Oomi and S.K. Malik 199

A study of the μSR magnetic response in CeRhSb
B.D. Rainford, D.T. Adroja, R. Wäppling, G.M. Kalvius and A. Kratzer 202

Magnetic properties of the Kondo metals CePtSn and CePdSn from μSR
G.M. Kalvius, D.R. Noakes, A. Kratzer, K.H. Münch, R. Wäppling, H. Tanaka, T. Takabatake and R.F. Kiefl 205

Spin dynamics and crystal fields of CePdSb
B.D. Rainford, D.T. Adroja, A. Neville and D. Fort 209

Dependence of magnetism on hybridization in $Ce(Cu_{1-x}Ni_x)_2Ge_2$
G. Sparn, P.C. Canfield, P. Hellmann, M. Keller, A. Link, R.A. Fisher, N.E. Phillips, J.D. Thompson and F. Steglich 212

Magnetism and crystal field of $Ce_3Au_3Sb_4$
D.T. Adroja, B.D. Rainford, Z. Hossain, E.A. Goremychkin, R. Nagarajan, L.C. Gupta and C. Godart 216

Magnetic properties of single crystal $CeFe_2Ge_2$
T. Ebihara, K. Motoki, H. Toshima, M. Takashita, N. Kimura, H. Sugawara, K. Ichihashi, R. Settai, Y. Ōnuki, Y. Aoki and H. Sato 219

μSR measurements of spin fluctuations in $CePt_2Sn_2$
G.M. Luke, A. Keren, K. Kojima, L.P. Le, W.D. Wu, Y.J. Uemura, G.M. Kalvius, A. Kratzer, G. Nakamoto, T. Takabatake and M. Ishikawa 222

Thermal expansion and magnetostriction of heavy-fermion $CePd_2Al_3$
S.A.M. Mentink, G.J. Nieuwenhuys, J.A. Mydosh, A.A. Menovsky, S. Nolten and A. de Visser 225

NMR study of magnetic properties in $Ce(Pd_{1-x}Ni_x)_2Al_3$ system
K. Fujiwara, Y. Yamanashi and K. Kumagai 228

A study of the pressure dependent resistivity of hexagonal $CePd_2Al_3$ and $CePd_2Ga_3$
R. Hauser, E. Bauer, A. Galatanu, A. Indinger, M. Maikis, H. Kirchmayr, D. Gignoux and D. Schmitt 231

Effect of pressure on the magnetic transitions in $CeRh_2Ge_2$ and $CeRu_2Ge_2$
Y. Uwatoko, G. Oomi, T. Graf, J.D. Thompson, P.C. Canfield, H.A. Borges, C. Godart and L.C. Gupta 234

NQR studies of the structural instabilities in $CePd_2Al_3$
A. Oyamada, H. Tsukada, K. Hashi, S. Maegawa, T. Goto and H. Kitazawa 237

Thermal conductivity and thermoelectric power of the dense-Kondo compound $CeNi_2Al_5$
Y. Isikawa, F. Taniguchi, Y. Ogiso, T. Mizushima, J. Sakurai and K. Mori 240

Coexistence of magnetic order, heavy fermion and intermediate valence behaviour in Ce_7X_3 (X = Ni, Ru, Pd, Pt, Ir and Rh)
O. Trovarelli, J.G. Sereni, G. Schmerber and J.P. Kappler 243

Proportionality between γ and T_K near the heavy fermion to intermediate valent transformation
J.G. Sereni 246

Low temperature magnetization measurements on heavy-electron Ce compounds
T. Sakakibara, T. Tayama, H. Mitamura, K. Matsuhira, H. Amitsuka and S. Kunii 249

Moment dilution in the heavy fermion compound Ce_2Bi
J.J. Rieger, J.C.A. Soberino, A. Mielke, E.-W. Scheidt and G.R. Stewart 252

Frustration effects in a Kondo lattice: a model for the coexistence of magnetic and non-magnetic Ce planes in CeSb
J. Arispe, B. Coqblin and C. Lacroix 255

Ground state of $CeCu_4M$ (M = Al, Ga) under pressure
A. Eichler, C. Mehls, F.-W. Schaper, M. Schwerin, C. Sutter, F. Voges and E. Bauer 258

Search for weak magnetic order in $CeCu_{5-x}Al_x$
G. Wiesinger, E. Bauer, Th. Häufler, A. Amato, R. Feyerherm, F.N. Gygax and A. Schenck 261

Specific heat and thermal expansion of CePt in the 0.7–300 K temperature range
R. Burriel, M. Castro, J.A. Blanco, J.I. Espeso, J.R. Fernández, J.C. Gómez-Sal, C. Lester, M. de Podesta and K.A. McEwen 264

Elastic constants of $LaRh_2$ and $CeRh_2$
M. Ozawa, M. Yoshizawa, H. Sugawara and Y. Ônuki 267

Transport properties of $(Ce_{1-x}R_x)Ru_2$ (R = La,Nd)
T. Kuwai, K. Hasegawa, Y. Isikawa and J. Sakurai 270

Competition of the RKKY interaction with the Kondo effect in $Y_{1-x}Ce_xGa_2$
H. Sato, H. Henmi and Y. Aoki 273

NMR study of $CeCoSi_3$
Y. Iwamoto, K. Ueda, T. Kohara and Y. Yamada 276

Pressure effects in point contacts with heavy-fermion $CeCu_2Ge_2$
K. Gloos, F. Martin, C. Schank, C. Geibel and F. Steglich 279

Reflexion of ballistic electrons at interfaces with heavy-fermion metals
K. Gloos, F. Martin, C. Schank, C. Geibel and F. Steglich 282

Non-linear susceptibility in heavy fermion $CeRu_2Si_2$
J.-G. Park, P. Haen, F. Lapierre, P. Lejay, A. Verniere and J. Voiron 285

Microwave reflectivity of $CeRu_2Si_2$
G. Hampel 288

Magnetic properties of $Ce(Ru_{1-x}Pd_x)_2Si_2$
C. Sekine, H. Sakamoto, S. Murayama, K. Hoshi and T. Sakakibara 291

Specific heat and magnetic properties of $Ce(Ru_{1-x}Pd_x)_2Si_2$
M.J. Besnus, A. Braghta, P. Haen, J.P. Kappler and A. Meyer 295

Neutron diffraction study on the magnetism of the $Ce(Ru_{1-x}Rh_x)_2Si_2$ mixed compound system
S. Kawarazaki, Y. Kobashi, J.A. Fernandez-Baca, S. Murayama, Y. Onuki and Y. Miyako 298

Magnetic properties of $Ce(Ru_{1-x}Pd_x)_2Si_2$ solid solutions
T. Kusumoto, S. Takagi and H. Suzuki 301

Low temperature heavy electron state in dilute $[Ce_x(La,Y)_{1-x}]Ru_2Si_2$
A. Meyer, M.J. Besnus, P. Haen, J.P. Kappler and G. Mathis 304

Muon spin relaxation studies in single crystals YRu_2Si_2 and $Ce(Ru_{1-x}Rh_x)_2Si_2$
C. Sekine, H. Sakamoto, S. Murayama, H. Takano, K. Hoshi, K. Nishiyama, K. Nagamine and Y. Onuki 307

Cu NQR in amorphous dense Kondo $CeCu_6$
T. Ohno, Y. Kishimoto, Y. Kitaoka, K. Sumiyama, T. Hihara and K. Suzuki 311

Appearance of a new coherent Kondo state by In substitution for Cu in $CeCu_6$
M. Kasaya, N. Satoh, T. Miyazaki and H. Kumazaki 314

Pressure dependence of the Néel temperature in antiferromagnetic $CeCu_{6-x}Au_x$ for $0.3 \leqslant x \leqslant 1.3$
T. Pietrus, B. Bogenberger, S. Mock, M. Sieck and H. v. Löhneysen 317

Quadrupolar response in Kondo compound $Ce_xLa_{1-x}B_6$
S. Nakamura, T. Goto, K. Morita, S. Sakatsume and S. Kunii 320

The important role of coherence for the heavy fermion state
A. Mielke, R. Kolb, J.J. Rieger, E.-W. Scheidt and G.R. Stewart 323

Unusual low temperature behavior in randomly diluted $CeRu_2Si_2$
K. Matsuhira, T. Sakakibara and H. Amitsuka 326

2.3. Ytterbium compounds

Low temperature paramagnetic scattering from $YbInAu_2$ and $YbAl_3$
A.P. Murani and J. Pierre 329

^{209}Bi NMR in the heavy-electron system YbBiPt
A.P. Reyes, L.P. Le, R.H. Heffner, E.T. Ahrens, Z. Fisk and P.C. Canfield 332

Ultralow temperature inductive measurements of YbBiPt
J. Bremer, D.A. Sergatskov, J.S. Xia, G.E. Granroth, P.J.C. Signore, G.G. Ihas, M.W. Meisel, P.C. Canfield, R. Movshovich, A. Lacerda and Z. Fisk 336

Crystal field and magnetic ordering in the cubic Kondo lattice YbPdSb
G. Le Bras, P. Bonville, M.J. Besnus, P. Haen, P. Imbert, G. Polatsek and F.G. Aliev 338

Search for magnetic ordering in the cubic Kondo compound YbPdSb
H. Suzuki, M. Kasaya, M. Kohgi, A. Dönni, P. Fischer, G. Le Bras and P. Bonville 341

Magnetic properties of the heavy fermion antiferromagnets YbNiAl and YbPtAl
J. Diehl, H. Davideit, S. Klimm, U. Tegel, C. Geibel, F. Steglich and S. Horn 344

Transport and thermodynamic properties of $YbCu_4Au_xAg_{1-x}$
A. Indinger, E. Bauer, E. Gratz, R. Hauser, G. Hilscher and T. Holubar 349

Pressure response of Yb-compounds
E. Bauer, E. Gratz, R. Hauser, L. Tuan, T. Kagayama and G. Oomi 352

Optical response of the Kondo lattices $YbCu_4Ag$, $YbCu_4Au$ and $YbCu_4Pd$
M. Galli, F. Marabelli and E. Bauer 355

High field magnetotransport and specific heat in $YbAgCu_4$
A. Lacerda, T. Graf, M.F. Hundley, M.S. Torikachvili, J.M. Lawrence, J.D. Thompson, D. Gajewski, P.C. Canfield and Z. Fisk 358

The electrical resistivity of $YbCu_{4.5}$ at high pressure
P. Link, K. Alami-Yadri, D. Jaccard, J. Sierro and E. Walker 361

Nuclear quadrupole resonance of $Yb_{1-x}Y_xInCu_4$
H. Nakamura and M. Shiga 364

2.4. Other rare earth systems

X-ray absorption study of the 'Pr III'–'Pr IV' transition in elemental praseodymium
J. Röhler and R. Lübbers 368

Raman scattering of extra vibrational modes in mixed-valence compounds
P. Lemmens, A. Hoffmann, A.S. Mishchenko, M.Yu. Talantov and G. Güntherodt 371

Induced magnetic form factor of Sm in mixed-valence $^{154}Sm^{11}B_6$
J.-X. Boucherle, P.A. Alekseev, B. Gillon, J.-M. Mignot, V.N. Lazukov, I.P. Sadikov, E.S. Konovalova and Yu.B. Paderno 374

Magnetic field dependence of the correlation gap in SmB_6
J.C. Cooley, M.C. Aronson, A. Lacerda, P.C. Canfield, Z. Fisk and R.P. Guertin 377

Quadrupolar effects in TmTe
T. Matsumura, Y. Haga, Y. Nemoto, S. Nakamura, T. Goto and T. Suzuki 380

NMR of $SmMn_2Ge_2$ at high pressure
J.S. Lord, P.C. Riedi, Cz. Kapusta and K.H.J. Buschow 383

Metal–insulator transition in the samarium polytellurides $SmTe_n$ ($n = 2$, 2.5, 3)
E. DiMasi, M.C. Aronson, B. Foran and S. Lee 386

Far infrared transmission of SmTe under high pressure
Y.S. Kwon, T.S. Park, J.M. Kim, K.S. An, I.S. Jeon, C.Y. Park, S. Kimura, T. Nanba, T. Matsumura and T. Suzuki 389

Heavy fermion characteristics in amorphous $SmCu_6$ alloy
H. Okajima, K. Sumiyama, Y. Homma, T. Hihara and K. Suzuki 392

The specific heat of single crystal $NdCu_2$
S. Takayanagi, H. Yamazaki, N. Shibuya, Y. Sugawara, P. Svoboda, Y. Onuki, R. Settai and N. Wada 395

Magnetic properties of $RERu_2Si_2$(RE = Tb, Dy, Ho)
T. Takeuchi, T. Taniguchi, D. Kudoh and Y. Miyako 398

Resistivity and magnetic susceptibility of $R_3Au_3Sb_4$ (R = Nd, Gd, Tb and Er)
Z. Hossain, S. Patil, R. Nagarajan, C. Godart, L.C. Gupta and R. Vijayaraghavan 402

Thermopower of rare earth–cobalt compounds R_3Co
I. Umehara, T. Kuwai, J. Sakurai, K. Maezawa, Q.F. Lu and K. Sato 405

Temperature and pressure driven valence change in ternary Eu-pnictides
G. Michels, C. Huhnt, W. Scharbrodt, W. Schlabitz, E. Holland-Moritz, M.M. Abd-Elmeguid and A. Mewis 408

2.5. Uranium compounds

μSR studies of doped URu_2Si_2 alloys
R. Cywinski, B.R. Coles, S.H. Kilcoyne and J.-G. Park 412

Unusual temperature dependence of the magnetic moment in URu_2Si_2
B. Fåk, C. Vettier, J. Flouquet, P. Lejay and J.M. Mignot 415

Effects of rare-earth substitutions for U in URu_2Si_2
J.-G. Park and B.R. Coles 418

Quadrupolar model of the 17.5 K phase transition in URu_2Si_2
P. Santini and G. Amoretti 421

High field magnetism of UPd_2Al_3 and related materials
K. Sugiyama, K. Oda, K. Kindo, N. Sato, T. Komatsubara and M. Date 424

Magnetic and thermal properties of $U_xLa_{1-x}Pd_2Al_3$
T. Sakon, K. Imamura, N. Koga, N. Sato and T. Komatsubara 427

Anisotropic magnetotransport in UPd_2Al_3
R. Köhler, H. Fischer, C. Schank, C. Geibel, F. Steglich, N. Sato and T. Komatsubara 430

Heavy-fermion–spin-glass behavior in $Sn_{1-x}U_xPt_3$
K. Sievers, E.-W. Scheidt and G.R. Stewart 433

High field dilatation experiments on $U(Pt_{0.95}Pd_{0.05})_3$; Magnetic ordering versus heavy fermion behaviour
U. Wyder, H.P. van der Meulen, P.J.E.M. van der Linden, U. Zeitler, A. de Visser, J.A.A.J. Perenboom, A.A. Menovsky and J.J.M. Franse 437

Optical investigation of the antiferromagnetic phase transitions in heavy-electron compounds
L. Degiorgi, H.R. Ott, M. Dressel, G. Grüner, C. Geibel, F. Steglich and Z. Fisk 441

Spin reorientation driven by energy gap formation in UCu_5
H. Nakamura, Y. Kitaoka, K. Asayama, M. Shiga and Y. Ōnuki 444

Doping experiments on heavy fermion systems with hydrogen
W.W. Kim and G.R. Stewart 448

Thermal, magnetic and transport properties in $(U_xY_{1-x})Pd_3$
Y. Aoki, K. Terayama, H. Sato, K. Maeda and Y. Ōnuki 451

Anomalous ground state in $U_{0.9}Th_{0.1}Be_{13}$
F.G. Aliev, S. Vieira, R. Villar, J.L. Martinez, C.L. Seaman and M.B. Maple 454

Structural, magnetic and electrical properties of new uranium intermetallics: $U_3Cu_4Si_4$ and $U_3Cu_4Ge_4$
D. Kaczorowski, H. Noël and M. Potel 457

Single uranium-site properties of dilute uranium alloys $U_xTh_{1-x}Pd_2Si_2$ ($x \leqslant 0.07$)
H. Amitsuka, T. Shimamoto, T. Honma and T. Sakakibara 461

Inelastic neutron scattering study of $U_3Pt_3Sb_4$
B.D. Rainford, D.T. Adroja, A. Severing, E.A. Goremychkin, J.D. Thompson and Z. Fisk 464

Ferromagnetic properties in UGe_2 amorphous alloy
Y. Homma, Y. Shiokawa, K. Suzuki, Y. Haga, E. Hotta and T. Suzuki 467

μ^+SR in antiferromagnetic UNi_4B.
G.J. Nieuwenhuys, S.A.M. Mentink, A.A. Menovsky, A. Amato, R. Feyerherm, F.N. Gygax, R.H. Heffner, L.P. Le, D.E. MacLaughlin and A. Schenck 470

Antiferromagnetic order and spin frustration in UNi_4B
S.A.M. Mentink, G.J. Nieuwenhuys, A.A. Menovsky, J.A. Mydosh, A. Drost and E. Frikkee 473

Effect of interstitial C on the antiferromagnetism of UNi_4B
S. Süllow, G.J. Nieuwenhuys, A.A. Menovsky and J.A. Mydosh 476

^{195}Pt and ^{119}Sn Knight shifts of $U_3Pt_3Sn_4$
K. Kojima, T. Takabatake, A. Harada and T. Hihara 479

Resonant mode in the modified Huesler alloy $U_{0.85}Th_{0.15}NiSn$
A. George, H.K. Ng and T. Yuen 482

Single-site effect in dilute UAl_2 systems
H. Suzuki and S. Takagi 485

Magnetic calorimetry and thermal expansion of UPd_3
S.W. Zochowski, M. de Podesta, C. Lester and K.A. McEwen 489

Perturbed angular correlation study of the pseudo-binary system $U(In_{1-x}Sn_x)_3$
S. Cottenier, A. Toye, M. Rots, J.C. Spirlet and J.M. Winand 492

Anomalous electrical resistivities of U_2M_2Sn (M = Fe, Ni or Rh)
P. de V. Du Plessis, A.M. Strydom and A. Baran 495

Magnetization relaxation in UCu_2Ge_2
S.B. Roy, A.K. Pradhan, P. Chaddah and B.R. Coles 498

GMR effects in actinide intermetallics
V. Sechovský, L. Havela, H. Nakotte, K. Prokeš, E. Brück and F.R. de Boer 501

Effect of pressure on the magnetic transition in UPt_2Sn and UCu_2Sn
M. Kurisu, T. Takabatake, H. Iwasaki and H. Fujii 505

Low temperature structural and physical behaviour of UIr_2Si_2 single crystal
A. Vernière, P. Lejay, J.X. Boucherle, J. Muller, S. Raymond, J. Flouquet and A. Sulpice 509

The Hall effect and electrical resistivity in $UCu_{3+x}Ga_{2-x}$
T. Hiraoka, E. Kinoshita, Y. Maeda, T. Takabatake and H. Fujii 512

Electrical resistivity of single crystalline UGe_2 at high pressure and high magnetic field
G. Oomi, T. Kagayama, K. Nishimura, S.W. Yun and Y. Ōnuki 515

Screening of the localized spin of the uranium atom in $LaRu_2Si_2$
K. Marumoto, T. Takeuchi, T. Taniguchi and Y. Miyako 519

New ternary compounds in the phase diagram U–Ru–Si
P. Lejay, A. Vernière, J.X. Boucherle and G. André 522

2.6. Other actinide systems

Electrical resistivity of AnT_2Al_3 (An = Np, Pu; T = Ni, Pd)
A. Seret, F. Wastin, J.C. Waerenborgh, S. Zwirner, J.C. Spirlet and J. Rebizant 525

Magnetic properties of $NpIn_3$
E. Colineau, A. Blaise, P. Burlet, J.P. Sanchez and J. Larroque 528

Magnetic properties of Np_2T_2Sn compounds
J.P. Sanchez, E. Colineau, C. Jeandey, J.L. Oddou, J. Rebizant, A. Seret and J.C. Spirlet 531

Chapter 3. Superconductivity

3.1. Miscellaneous

De Haas–van Alphen effect in the superconducting state
R. Corcoran, N. Harrison, C.J. Haworth, S.M. Hayden, P. Meeson, M. Springford and P.J. van der Wel 534

Superconductivity and magnetism in quaternary borocarbides
G. Hilscher, H. Michor, N.M. Hong, T. Holubar, W. Perthold, M. Vybornov and P. Rogl 542

Superconductivity at an elevated temperature in a new class of quaternary rare earth–transition metal boro-carbides
R. Nagarajan, L.C. Gupta, S.K. Dhar, C. Mazumdar, Z. Hossain, C. Godart, C. Levy-Clement, B.D. Padalia and R. Vijayaraghavan 548

μ^+SR studies of magnetic properties of boron carbide superconductors
L.P. Le, R.H. Heffner, G.J. Nieuwenhuys, P.C. Canfield, B.K. Cho, A. Amato, R. Feyerherm, F.N. Gygax, D.E. MacLaughlin and A. Schenck 552

Magnetism and superconductivity in RET_2B_2C (RE = Y and T = Ni, Co) systems
K. Kadowaki, H. Takeya, K. Hirata and T. Mochiku 555

Correlations, dimensionality and instabilities in organic superconductors
D. Jérome, L. Balicas, K. Behnia, W. Kang, P. Wzietek, L. Hubert and C. Bourbonnais 559

Unusual properties of a new superconductor La_3Ni
N. Sato, N. Koga, K. Imamura, T. Sakon and T. Komatsubara 565

3.2. Heavy-fermion systems

Review on the phase diagram and the upper critical field anisotropy of uranium-based heavy fermion superconductors
N. Keller, J.P. Brison, P. Lejay, J.L. Tholence, A. Huxley, L. Schmidt, A. Buzdin and J. Flouquet 568

Unconventional superconductivity in UPt_3: ultrasound and electromagnetic response
B.S. Shivaram 574

Nearly isotropic d-wave pairing in UPt_3
M.E. Zhitomirsky and I.A. Luk'yanchuk 577

Skin depth and London penetration depth of the heavy fermion superconductor UPt_3 as determined by electromagnetic generation of ultrasound
G. Bruls 580

Dilatometry study of the heavy-fermion superconductor URu_2Si_2
N.H. van Dijk, A. de Visser, J.J.M. Franse and A.A. Menovsky 583

The effect of composition on the occurrence of a second phase transition in the vicinity of T_c in $CeCu_2Si_2$
R. Modler, M. Lang, C. Geibel, C. Schank, R. Müller-Reisener, P. Hellmann, A. Link, G. Sparn, W. Assmus and F. Steglich 586

^{9}Be and ^{11}B NMR study of superconductivity in boron doped UBe_{13}
E.T. Ahrens, R.H. Heffner, P.C. Hammel, A.P. Reyes, J.L. Smith and W.G. Clark 589

On the H–T phase diagram of $CeCu_2Si_2$
B. Andraka and G.R. Stewart 593

On the competition between superconductivity and magnetism in $CeCu_2Si_2$
R. Feyerherm, A. Amato, C. Geibel, F.N. Gygax, P. Hellmann, R.H. Heffner, D.E. MacLaughlin, R. Müller-Reisener, G.J. Nieuwenhuys, A. Schenck and F. Steglich 596

Heat capacity anomaly of $CeCu_{2.05}Si_2$ under magnetic fields
T.C. Kobayashi, A. Koda, H. Honda, K. Amaya, Y. Kitaoka, K. Asayama, C. Geibel and F. Steglich 600

The behavior of the heavy-fermion superconductor UPt_3 under hydrostatic pressure and in a magnetic field
M. Sieck, H. v. Löhneysen and L. Taillefer 603

Meta-stable states in the low-field magnetostriction of UPt_3
N.H. van Dijk, A. de Visser, J.J.M. Franse and L. Taillefer 606

Point-contact studies on the heavy-fermion superconductor UPt_3
G. Goll, Chr. Bruder and H. v. Löhneysen 609

Superconducting energy gap in URu_2Si_2
P. Samuely, P. Szabó, K. Flachbart, M. Mihalik and A.A. Menovsky 612

Activation energy and critical current in UPd_2Al_3 films
M. Huth, J. Hessert, M. Jourdan and H. Adrian 615

Anisotropic transport properties of UPd_2Al_3 thin films
J. Hessert, M. Huth, M. Jourdan and H. Adrian 618

^{27}Al and ^{29}Si NMR studies of the heavy-fermion superconductors UPd_2Al_3 and URu_2Si_2
Y. Kohori, K. Matsuda and T. Kohara 622

Magnetic instability and superconductivity in cerium based HF compounds
D. Jaccard and J. Sierro 625

Possible relevance of odd frequency pairing to heavy fermion superconductivity
P. Coleman and E. Miranda 628

Superconductivity by charge and spin fluctuations in strongly correlated systems
J. Costa-Quintana, E. González-León, F.L. Aguilar, L. Puig-Puig and M.M. Sánchez-López 631

Vortex structure in a thin film of an unconventional superconductor
N. Ogawa, M. Sigrist and K. Ueda 634

Theory of interplay between antiferromagnetism and superconductivity
R. Konno 638

3.3. High-T_c cuprates

Electron correlations in high-T_c superconductors
S. Maekawa and Y. Ohta 641

Magnetic properties of high-temperature superconductors: hints and tests for unconventional superconductivity
M. Sigrist 645

Fermi liquid theory with antiparamagnon
K. Maki and H. Won 650

T_c and pseudogap in the 2-D attractive Hubbard model
J.J. Rodríguez-Núñez, S. Schafroth, H. Beck, T. Schneider, M.H. Pedersen and R. Micnas 654

A realistic theory for the electronic structure of the cuprates
J. Ashkenazi 657

High-T_c superconductivity in a layered system
J.D. Fan and Y.M. Malozovsky 660

Antiparamagnon and NMR in a d-wave superconductor
H. Won and K. Maki 664

Spin and hole dynamics of high-T_c cuprates and their interconditional evolution with doping from antiferromagnetic to 'strange metal' state
F. Onufrieva, J. Rossat-Mignod and V.P. Kushnir 667

Effective single-band Hubbard model for the cuprates: Coulomb interactions and apical oxygen
L.F. Feiner, J.H. Jefferson and R. Raimondi 672

Mid infrared excitations in cuprates
J. Lorenzana 675

A local approach to the magnetism of high-T_c superconductors
J.R. Iglesias, B.H. Bernhard and M.A. Gusmão 678

Influence of screening effects and inter-site Coulomb repulsion on the insulating correlation gap
J. van den Brink, M.B.J. Meinders and G.A. Sawatzky 682

Two-pole approach to the Hubbard bands
A.M. Oleś and H. Eskes 685

The doping dependence of magnetic ordering in the t–J model with classical spins
M. Hamada, H. Shimahara and H. Mori 688

String picture approach to the weakly doped one-dimensional t–J–h model
P. Wróbel and R. Eder 691

Existence of an incommensurate ground state of interacting spinless fermions in infinite dimensions
G.S. Uhrig and R. Vlaming 694

Conductivity of interacting spinless fermion systems via the high-dimensional approach
G.S. Uhrig 698

Yang–Lee zero analysis of a 2D Hubbard model
E. Abraham, I.M. Barbour, P.H. Cullen, E.G. Klepfish, E.R. Pike and S. Sarkar 702

BCS properties of the eigenstates in the Hubbard model
J. Szeftel 705

Embedded cluster calculation for the Hubbard model
M. Doğanlar and A. Ziegler 709

Mean field theory for the N-orbital Hubbard model beyond the Hubbard I approximation
I.S. Sandalov and B. Johansson 712

Superconducting instabilities in the finite U Anderson lattice model
J. Karbowski and J. Spałek 716

Phase transitions in a generalized Hubbard model
A.N. Kocharian and G.R. Reich 719

Spectrum of the supersymmetric $t-J$ model
J. Exeter and S. Sarkar 723

Ground state of the Anderson lattice at quarter filling
A.M. Oleś and B. Oleś 726

Electron correlation and heavy-fermion states in the Hubbard model
C. Chen 729

Two-particle correlations in finite low-dimensional Hubbard-like lattices
A.N. Kocharian, G.R. Reich and A.S. Saakian 732

Correlation effects on the electron–phonon interaction
B.I. Min, J.D. Lee and K. Kang 736

Electron–phonon interaction in Hubbard systems
J. Keller, C.E. Leal and F. Forsthofer 739

EPR study of the dynamic spin susceptibility in heavily doped $YBa_2Cu_3O_{6+\delta}$
J. Sichelschmidt, B. Elschner, A. Loidl and B.I. Kochelaev 742

NQR studies in oxygen annealed $La_{2-x}Bi_xCuO_{4+\delta}$
K. Ueda, Y. Iwamoto, T. Kohara and Y. Yamada 746

Anomalous magnetic properties of Tb doped $YBa_2Cu_3O_7$ single crystals
G. Cao, F. Freibert, P.F. Henning, S. McCall, M. Sheppard and J.E. Crow 749

Superconductivity and magnetic ordering in $Pb_2Sr_2PrCu_3O_{8.01}$
W.-H. Li, W.T. Hsieh, S.T. Shyr, K.C. Lee, J.H. Shieh and H.C. Ku 753

Magnetic 3d–4f coupling in $REBa_2Cu_3O_{7-\delta}$
E. Holland-Moritz, H.-D. Jostarndt, H. Drößler, W. Schlabitz and U. Walter 756

A simultaneous polarization and magnetic ordering in some insulating cuprate oxides
G. Cao, J.E. Crow and L.R. Testardi 760

The new conductive oxysulfides $[(La_{1-x}Sr_x)O]CuS$ containing a Cu-layer
Y. Takano, K.-i. Yahagi and K. Sekizawa 764

Electronic correlations in the quasi-2D organic superconductor κ-$(ET)_2Cu[N(CN)_2]Br$
H. Mayaffre, P. Wzietek, S. Charfi-Kaddour, C. Lenoir, D. Jérome and P. Batail 767

Chapter 4. Semiconductors and insulators; metal–insulator transitions

Anomalous physical properties of the low carrier concentration state in f-electron system
T. Suzuki, Y. Haga, D.X. Li, T. Matsumura, E. Hotta, A. Uesawa, M. Kohgi, T. Osakabe, S. Takagi, H. Suzuki, T. Kasuya, Y. Chiba, T. Goto, S. Nakamura, R. Settai, S. Sakatsume, A. Ochiai, K. Suzuki, S. Nimori, G. Kido, K. Ohyama, M. Date, Y. Morii, T. Terashima, S. Uji, H. Aoki, T. Naka, T. Matsumoto, Y. Ohara, H. Yoshizawa, Y. Okayama, Y. Okunuki, A. Ichikawa, H. Takahashi, N. Mori, T. Inoue, T. Kuroda, K. Sugiyama, K. Kindo, A. Mitsuda, S. Kimura, S. Takayanagi, N. Wada, A. Oyamada, K. Hashi, S. Maegawa, T. Goto, Y.S. Kwon, E. Vincent and P. Bonville 771

Optical spectra of CeAs and LaAs
S. Kimura, F. Arai, Y. Haga, T. Suzuki and M. Ikezawa 780

Formation of a magnetic-polaron lattice in the low-carrier-density system CeP
M. Kohgi, T. Osakabe, T. Suzuki, Y. Haga, T. Kasuya and Y. Morii 783

Deep magnetic polaron state in Gd_2S_3
S. Kimura, Y. Sato, T. Suzuki and M. Ikezawa 786

De Haas–van Alphen effect in USb
A. Ochiai, E. Hotta, Y. Haga, T. Suzuki, Y. Suzuki, T. Shikama and K. Suzuki 789

De Haas–van Alphen effect in CeP
Y. Haga, A. Uesawa, T. Terashima, S. Uji, H. Aoki, Y.S. Kwon and T. Suzuki 792

Acoustic de Haas–van Alphen effect in LaAs
K. Morita, T. Goto, H. Matsui, S. Nakamura, Y. Haga, T. Suzuki and M. Kataoka 795

Kondo insulators
Z. Fisk, J.L. Sarrao, J.D. Thompson, D. Mandrus, M.F. Hundley, A. Miglori, B. Bucher, Z. Schlesinger, G. Aeppli, E. Bucher, J.F. DiTusa, C.S. Oglesby, H.-R. Ott, P.C. Canfield and S.E. Brown 798

Gap formation in single-crystal CeRhSb
T. Takabatake, T. Yoshino, H. Tanaka, Y. Bando, H. Fujii, T. Fujita, H. Shida and T. Suzuki 804

Spin dynamics in CeNiSn and $Ce_{0.85}La_{0.15}NiSn$ at very low temperatures
G.M. Kalvius, A. Kratzer, R. Wäppling, T. Takabatake, G. Nakamoto, H. Fujii, R.F. Kiefl and S.R. Kreitzmann 807

Transport and optical properties of FeSi
L. Degiorgi, M. Hunt, H.R. Ott and Z. Fisk 810

Dynamical correlation functions of one-dimensional Kondo insulators
T. Nishino and K. Ueda 813

Interacting Kondo holes in a Kondo insulator
P. Schlottmann 816

The electronic structure of CeRhSb
T.J. Hammond, G.A. Gehring, M.B. Suvasini and W.M. Temmerman 819

Suppression of the energy gap in CeRhSb by partial substitution of Pd for Rh
Y. Bando, T. Takabatake, H. Fujii and G. Kido 822

Thermal expansion of the Kondo insulator CeRhSb
A.J. Nolten, A. de Visser, F.E. Kayzel, J.J.M. Franse, H. Tanaka and T. Takabatake 825

NMR/NQR study of Kondo semiconductors CeNiSn and CeRhSb
K. Nakamura, Y. Kitaoka, K. Asayama, T. Takabatake, G. Nakamoto, H. Tanaka and H. Fujii 829

^{119}Sn Mössbauer study of $Ce_xLa_{1-x}NiSn$
M. Polikarpov, V.M. Cherepanov, M.A. Chuev, S.S. Yakimov, F.G. Aliev and R.V. Scolozdra 832

Thermopower of CeNiSn under a magnetic field
J. Sakurai, Y. Takamatsu, T. Kuwai, Y. Isikawa, K. Mori, T. Fukuhara and K. Maezawa 834

Tunneling measurements of the energy gap in CeRhSb and CeNiSn
T. Ekino, T. Takabatake, H. Tanaka and H. Fujii 837

Effect of impurity phases on the anisotropic transport properties of CeNiSn
G. Nakamoto, T. Takabatake, Y. Bando, H. Fujii, K. Izawa, T. Suzuki, T. Fujita, A. Minami, I. Oguro, L.T. Tai and A.A. Menovsky 840

Onset of itinerant ferromagnetism from Pauli paramagnet or semiconducting state in some Heusler phases
J. Pierre, R.V. Skolozdra and M.A. Kouacou 844

Pressure induced crossover of the magnetic transition from second to first order near the quantum critical point in MnSi
C. Pfleiderer, G.J. McMullan and G.G. Lonzarich 847

Systematic change of spectral functions observed by controlling the electron correlation in $Ca_{1-x}Sr_xVO_3$
I.H. Inoue, I. Hase, Y. Aiura, T. Mizokawa, A. Fujimori, T. Maruyama, Y. Haruyama, K. Morikawa and Y. Nishihara 850

Magnetization and Hall effect under high pressure in NaV_6O_{11}
T. Naka, T. Matsumoto, Y. Kanke and K. Murata 853

Spin and charge dynamics in 2D metal–insulator transition oxides: $(Pr,Sr)_2NiO_4$ and $Sr_2(Ru,Ir)O_4$
S.A. Carter, S.-W. Cheong, B. Batlogg, R.J. Cava, C.H. Chen, J.J. Krajewski, W.F. Peck Jr. and L.W. Rupp Jr. 856

Study of strongly correlated electron alloy system $Y_{1-x}Ca_xTiO_3$
F. Iga, T. Nishiguchi and Y. Nishihara 859

Chapter 5. Conference summaries

Summary: Experiment
Y. Ōnuki 862

Summary: Theory
P. Coleman 872

List of contributors xxvii

Subject index xxxiii

Materials index xxxvii